




晏杰光电
MAJOR LIGHTING

MJ-F2216L240WX-X-JD

SPECIFICATION SHEET

2019.04 V-1.0





Comprehensive Description

Applying to BLIGHT, decorative lighting, LED Strip has the features of long lifetime and small brightness decay.

Various color temperature are available and only ONE BIN is used for each order to keep same color.


Material and technology:

- ◆ LED is packaged with pure gold thread and large chip;
- ◆ Lead-free SMT(RoHS), welding spot is rounded and strong;
- ◆ Double layer PCB to ensure stable electrical property;
- ◆ Authentic 3M adhesive tape with stronger stickiness;
- ◆ A variety of fittings are optional to install easily;
- ◆ Different waterproofing grade: IP65, IP67, IP68 and Nano waterproof;
- ◆ The best silica gel is used to make waterproof;



Technical Parameters

Model: MJ-F2216L240WX-X-JD



Optical parameters

LED Type	SMD2216
Ra	CRI>90
CCT	2700K/3000K/4000K/6000K
Emitting Angle	120°
Luminous flux/LED	6-7lm/LED


Electrical parameters

Input Current	0.8A/m
Input Voltage	DC24V
Watt/m	19.2W/m

Others

Energy Efficiency	A
Warranty	5 years
Operating lifetime	30,000h
Operating temperature	-20°C- +45°C
Operating humidity	40%-70%RH
Waterproof grade	IP20,IP65,IP67,IP68
Dimensions	5000*10mm
LED Qty/m	240LED/m
Min cuttable distance	25MM(6LED)

Test Report



Certifications

Intertek AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple later models identified on the correlation page of the Listing Report. This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized to Apply Mark.

Applicant: Shenzhen Shinesky Optoelectronics Co., LTD
Address: 2F, H1 Building, Hongfa Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, Guangdong, China
Contact: Bin Wu
Phone: +86-755-29116235
FAX: +86-755-29116235
Email: hui@shinesky.com

Manufacturer: Shenzhen Shinesky Optoelectronics Co., LTD
Address: 2F, H1 Building, Hongfa Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, Guangdong, China
Contact: Bin Wu
Phone: +86-755-29116235
FAX: +86-755-29116235
Email: mai@shinesky.com

Party Authorized to Apply Mark: Intertek Testing Services Shanghai

Control Number: 5000956

Authorized by: Thomas J. P. ...

Standards: General Requirements for Luminaires - CIE S112 No 9.8 (Issued: 1996/05/01 Ed. 1 (2011), with Cor. 1: 1997, Cor. 2: 1998)

Product: Low Voltage Fixtures - LED Strip

Model: SK-CV102-2, cabinet "X", "Y" and "Z" is a letter or the combination of a letter and a number

ATM for Report 1530064695NA-001 Page 1 of 1 ATM issued: 21 May 2015

CERTIFICATE of Conformity
EC Council Directive 2004/108/EC
Electromagnetic Compatibility

Registration No.: AE 50329836 0001
Report No.: 17055806 001

Holder: Shenzhen Shinesky Optoelectronics Co., LTD
2F, H1 Building, Hongfa Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, City 518108, P.R. China

Product: LED Lamp (LED Strip)



Identification: Type designation: SK-070210
(*, y, z) are variables, refer to report for details.
Serial No.: n.a.
Remark: Refer to test report 17055806 001 for details.

Tested acc. to: EN 60528:2013
EN 61347:2009

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with all provisions of Annex I of Council Directive 2004/108/EC. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of this certificate is authorized to use this certificate in connection with the EC declaration of conformity according to the a.m. Directive.

Date: 15.01.2015
Dipl.-Ing. Ulf S. C. Steinhilber
TÜV Rheinland LGA Products GmbH · Tillystraße 2 · 90431 Nürnberg

CE The CE marking may only be used if all relevant and effective EC Directives are complied with. CE



SGS Test Report No. TA1401706171041 Date: FEB 18, 2014 Page 1 of 6

SHENZHEN SHINESKY OPTOELECTRONICS CO., LTD
2F, H1 BLDG, HONGFA HI-TECH PARK, TANGTOU, SHIYUAN TOWN, BAO'AN DISTRICT, SHENZHEN, P.R. CHINA

This report summarizes the test results of the product described in the test report number 70501706171041.

The following sample were submitted and identified by test bench #1 of the client as:
LED STRIP

Serial Reference Information: SEE ATTACHMENT
 Sample Receiving Date: JAN 07, 2014
 Further Information Date: FEB 18, 2014
 Testing Period: JAN 07, 2014 TO JAN 18, 2014

Test Requested	Conclusion
1. European RoHS Directive 2011/65/EU Annex II (excluding 2002/95/EC) (Lab-test specimens) were tested as specified by the applicant. (Refer to test report # 70501706171041)	PASS

FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGES:

Signed for and on behalf of:
SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch-Tiny Laboratory

Party Signatory, assessor
Date: Technical Storage

SGS Certificate: CH703036

SHENZHEN SHINESKY OPTOELECTRONICS CO., LTD.
2F, H1 Building, Tangtou Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, Guangdong, P.R. China
United Social Credit Code: 5140303919881324

ISO 9001:2015


Design and manufacture of LED strip products

For further information:
Please refer to the certificate of conformity for details.


For further information:
Please refer to the certificate of conformity for details.

SGS

Installation Instructions



Package





Note:


1. One Aluminum Foil Bag for one roll of LED strip, 5M/roll.
2. All the packaging materials are RoHS standard.
3. Heavy stuff are not allow to be loaded above the packaging box.

⚠ Cautions:

- When install the led strip , please note the installation technique. The led strip can be bent, but not distorted, as shown below:



Distortion(Wrong)



Bend(Right)

- LED strips are low voltage products, you must use the power supply(transformer). Please don't connect the led strip directly to the AC110 or AC220V, otherwise it will burn out the LED strips.
- Clean up the installation surface, it will ensure the reliability of the adhesive.
- The electrical connection process must be operated by a professional person.