




晏杰光电
MAJOR LIGHTING

MJ-F3528L240WX-X-JD

SPECIFICATION SHEET

2019.04 V-1.0




Comprehensive Description

Applying to BLIGHT, decorative lighting, LED Strip has the features of long lifetime and small brightness decay.

Various color temperature are available and only ONE BIN is used for each order to keep same color.


Material and technology:

- ◆ LED is packaged with pure gold thread and large chip;
- ◆ Lead-free SMT(RoHS), welding spot is rounded and strong;
- ◆ Double layer PCB to ensure stable electrical property;
- ◆ Authentic 3M adhesive tape with stronger stickiness;
- ◆ A variety of fittings are optional to install easily;
- ◆ Different waterproofing grade: IP65, IP67, IP68 and Nano waterproof;
- ◆ The best silica gel is used to make waterproof;



Technical Parameters

Model: MJ-F3528L240WX-X-JD



Optical parameters

LED Type	SMD3528
Ra	CRI>80&CRI>95
CCT	2100K/2400K/2700K/3000K/4000K/6000K
Emitting Angle	120°
Luminous flux/LED	7-8lm/LED


Electrical parameters

Input Current	1.6A/m,0.8A/m
Input Voltage	DC12V/24V
Watt/m	19.2W/m

Others

Energy Efficiency	A
Warranty	5 years
Operating lifetime	30,000h
Operating temperature	-20°C- +45°C
Operating humidity	40%-70%RH
Waterproof grade	IP20,IP65,IP67,IP68
Dimensions	5000*10mm
LED Qty/m	240LED/m
Min cuttable distance	12.5mm(3LED),25MM(6LED)

Test Report



Certifications

Intertek AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple later models identified on the correlation page of the Listing Report. This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Shinesky Optoelectronics Co., LTD
2F, H1 Building, Hongfa Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, Guangdong
China
Contact: Bin Wu
Phone: +86-755-29116255
FAX: +86-755-29116255
Email: mai@sked.com

Manufacturer: Shenzhen Shinesky Optoelectronics Co., LTD
2F, H1 Building, Hongfa Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, Guangdong
China
Contact: Bin Wu
Phone: +86-755-29116255
FAX: +86-755-29116255
Email: mai@sked.com

Party Authorized To Apply Mark: Intertek Testing Services Shanghai

Control Number: 5000956

Authorized by: Thomas J. Farnham, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

Standards: General Requirements for Luminaires - CIEA C22 No 9.8 (Issued: 1999/05/01 Ed. 1 (2011), with Cor. 1: 1999, Cor. 2: 2000)

Product: Low Voltage Fixture LED Strip

Model: SK-CV902-2, color "X", "Y" and "Z" is any number. "C" is either of the combination of a letter and a number

Intertek Testing Services NA Inc.
645 East Argonne Road, Aurora, Illinois, IL, 60505
Telephone: 630-585-8800 or 630-430-8687 Fax: 630-285-3572

ATM for Report 1503006495NA-001 Page 1 of 1 ATM issued 21 May 2015

CERTIFICATE of Conformity
EC Council Directive 2004/108/EC
Electromagnetic Compatibility

Registration No.: AE 50329836 0001
Report No.: 17055806 001

Holder: Shenzhen Shinesky Optoelectronics Co., LTD
2F, H1 Building, Hongfa Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, City 518108, P.R. China

Product: LED Lamp (LED Strip)

Identification: Type Identification: SK-970076
(*, y, z) are variables, refer to report for details.
Serial No.: n.a.
Remark: Refer to test report 17055806 001 for details.


Tested acc. to: EN 60528:2013
EN 61347:2009

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with all provisions of Annex I of Council Directive 2004/108/EC. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of this certificate is authorized to use this certificate in connection with the EC declaration of conformity according to the a.m. Directive.

Date: 15.01.2015

Dipl.-Ing. Ulf S. C. Stöckl
TÜV Rheinland LGA Products GmbH · Tillystraße 2 · 90431 Nürnberg

CE The CE marking may only be used if all relevant and effective EC Directives are complied with. CE



Lux-Distance Curve

1m	440.44 lx	366.21cm
2m	110.11 lx	512.43cm
3m	48.94 lx	518.64cm
4m	27.53 lx	1224.88cm
5m	17.62 lx	1531.07cm
6m	12.23 lx	1837.29cm

Height E Diameter

SGS Test Report No. TN14191706177041 Date: FEB 18, 2014 Page 1 of 6

SHENZHEN SHINESKY OPTOELECTRONICS CO., LTD
2F, H1 BUILDING, HONGFA HI-TECH PARK, TANGTOU, SHIYUAN TOWN, BAO'AN DISTRICT, SHENZHEN, GUANGDONG, P.R. CHINA

This report supplements the previous documents bearing the test report number 70501706177041. The following samples were submitted and identified by lot/batch #: of the client as: LED STRIP

Sample Reference Information: SEE ATTACHMENT
Sample Receipt Date: JAN 07, 2014
Further Information Date: FEB 18, 2014
Testing Period: JAN 07, 2014 TO JAN 16, 2014

Test Requested	Conclusion
1. European RoHS Directive 2011/65/EU Annex I (missing 2009/95/EC) (Lab-test specimens) were tested as specified by the applicant. (Refer to test results (pages) for details)	PASS

FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGES:

Signed for and on behalf of:
SGS-Cotec (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch-Trial Laboratory

Party Signatory, address:
Director, Technical Services

SGS Certificate: CH703208

The management system of:
SHENZHEN SHINESKY OPTOELECTRONICS CO., LTD.
2F, H1 Building, Tangtou Hi-tech Park, Tangtou, Shiyuan Town, Bao'an District, Shenzhen, Guangdong, P.R. China
United Social Credit Code 440303919881328

has been assessed and certified as conforming to:
ISO 9001:2015

For manufacturing activities
Design and manufacture of LED strip products


Under conditions applicable to these activities under the scope of the ISO 9001:2015 certification as detailed in the accompanying certificate. This certificate is valid from 1 March 2017 until 1 March 2020 and covers only activities conducted by the certificate holder. Recertification shall be an extension of the current certificate. Issue 1. Certified since 2 March 2017

For full details, please refer to the attached certificate. The certificate holder is authorized to use the SGS logo and the ISO 9001:2015 certification number. The certificate holder is authorized to use the SGS logo and the ISO 9001:2015 certification number.


SGS 9001 003
Page 1 of 1

SGS

Installation Instructions



Package





Note:


1. One Aluminum Foil Bag for one roll of LED strip, 5M/roll.
2. All the packaging materials are RoHS standard.
3. Heavy stuff are not allow to be loaded above the packaging box.

⚠ Cautions:

- When install the led strip , please note the installation technique. The led strip can be bent, but not distorted, as shown below:



Distortion(Wrong)



Bend(Right)

- LED strips are low voltage products, you must use the power supply(transformer). Please don't connect the led strip directly to the AC110 or AC220V, otherwise it will burn out the LED strips.
- Clean up the installation surface, it will ensure the reliability of the adhesive.
- The electrical connection process must be operated by a professional person.